
Fig. 1



98




Fig. 2A




Fig. 2B




Fig. 3A




Fig. 3B








Fig. 3C









800 Fig. 8 **SERVER APPLICATION TRANSMITS OUTPUT DATA TO CLIENT APPLICATION** 801 802 **FURTHER** NO PROCESSING BY CLIENT **APPLICATION** NEEDED? 804 YES **CLIENT APPLICATION FURTHER** PROCESSES OUTPUT DATA 806 **CLIENT APPLICATION SENDS OUTPUT DATA TO OUTPUT DEVICE** 808 **OUTPUT DEVICE PROCESSES IMMEDIATELY?** YES NO 810 QUEUE OR SPOOL OUTPUT DATA (OUTPUT JOB) 812 **FURTHER** NO **PROCESS NEEDED?** YES 814 **OUTPUT DEVICE FURTHER** PROCESS OUTPUT DATA

OUTPUT DEVICE GENERATES FINAL OUTPUT 816

Bush with slight lead in electoral college count [Reuters Photo]
WASHINGTON (Reuters) - The following is Sunday's estimate of the state of the battle to win a 902

Fig. 9 A

The following printers were found available. Please select one 904 - Ultra laser 9, \$0.12/p [More] - PH Inkjet 260, \$0.12/p [More] - Tekmark color 3.1, \$0.14/p [More] 907

Fig. 9 B




Fig. 9 C




Fig. 9 D




Fig. 9 E





Fig. 9 F



OUTPUT DATA/PRINT DATA

COMMUNICATION UNIT/
INTERFACE

1008B

MEMORY BUFFER

MARKING ENGINE/
DISPLAY ENGINE

OUTPUT ENGINE/PRINTER ENGINE

OUTPUT DEVICE/PRINTER

Fig. 10 B